

## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

## **DISTRIBUTIONOF PUCCINIA HETEROS PORA**

BY A. B. SEYMOUR.

When the note on *Puccinia heterospora* in the Botanical Gazette, December, 1883, was prepared, the hosts known were Sida triquetra, S. humilis, S. hirsuta, S. spinosa, S. rhombifolia, Abutilon Texense, A. parvulum and Anoda hastata; and the localties, Illinois, Texas, Cuba, Ceylon, and South Africa.

A search through the Malvaceæ of the Gray Herbarium has revealed the following:

SIDA SUPINA, Key West, Florida, Feb. 1846, Regel (100).

S. PHYSOCALYX, Texas, 1847-8, Lindheimer (583).

S. HUMILIS, Moridabad, India, Dr. Thompson (325).

ABUTILON CRISPUM, Key Largo, S. Florida, May. A. H. Curtiss, Fl. Texano-Mexicana, Bolandier (2237). Maydallum, Sept. 18, Thurber (1030). San Luis Potosi, 1876, Schaffner (163).

A. Texense, Santa Catalina Mts., Arizona, Apr. 1881, Lemmon. Sonora, Mex., 185, Thurber.

A. Bolandieri, San Fernando, Oct. 1835. Bolandier, Fl. Tex-Mex. 3050.

A. SEDOIDES, San Luis Potosi, Mex., 1878, Parry & Palmer.

A. VILLIFERUM, McArther river, Australia, Mueller.

Anoda hastata, Chili, Meyen.

GAYA SUBTRILOBA, San Luis Potosi, Mex., 1878, Parry & Palmer (92). Peru, Mathews (3236).

Malvaviscus Drummondii, (only 1-celled spores seen). Texas, 1843, Lindheimer (25).

URENA, Fernando Po., Hooker's Niger Exp. 1843, Vogel (202).

## NEW LITERATURE.

BY W. A. KELLERMAN.

CHARLES H. PECK.—"New Species of Fungi." in the Bulletin of the Torrey Botanical Club, April, 1885.

Eleven new species are here described and a plate of figures illustrates three of them. They are as follows: Boletus sphærosporus, Pk. (Wisconsin); Septoria astragalicola, Pk, on living or languishing leaves of Astragalus (Arizona); Puccinia tumidipes, Pk, II and III, on living leaves of Lycium Andersonii (Arizona); Puccinia globosipes, Pk., on leaves of Lycium Californicum (California); Puccinia, Brickelliæ, Pk. II and III, on living leaves of Brickellia (Arizona); Puccinia Pentstemonis, Pk., on living leaves of P. linarioides (Arizona); Puccinia Malvastri, Pk., on living leaves of Malvastrum (Arizona); Puccinia Viguieræ, Pk.,